INDEX TO

THE WELDING JOURNAL

VOLUME 37—1958

Published by the American Welding Society, 33 West 39th Street, New York 18, N. Y.

The Welding Journal

This part includes general technical articles, papers presented before Section and National meetings, articles for the practical welder and designer, news, biographical items, current welding literature and advertising.

Page allocation by issues

January	1–98	July	665–762
February	99–198	August	763–862
March	199–300	September	863–962
April	301–458	October	963–1062
May	459–556	November	1063–1160
June	557–664	December	1161–1260

Welding Research Supplement

This section includes the reports of the Welding Research Council, critical digests of the literature, reports of the Project Committees and research reports of industry.

Page allocation by issues

January	1-s–40-s	July	289-s–336-s
February	41-s–80-s	August	337-s–384-s
March	81-s–128-s	September	385-s–432-s
April	129-s–192-s	October	433-s–480-s
May	193-s–240-s	November	481-s–528-s
June	241-s–288-s	December	529-s–576-s

THE WELDING JOURNAL

SUBJECT INDEX

Acetylene at Elevated Pressures, Handling and Use of—Hans Beller, 1090–1096.

Acetylene Gases in the Refrigerator Industry; Uses of Oxygen and—Paul Bowman, 120–123.

Aircraft Accessory Turbine Wheels, Automatic Welding of—A. J. Rosenberg and E. W. Jamison, 328–335.

Aircraft Gas-Turbine Components, Metallizing and Its Application in—Donald E. Hacker, 231–236.

Aluminum-Alloy Welds, Porosity in—F. R. Collins, 589–593.

Aluminum Alloys, Performance of Welds in Some—Paul B. Dickerson, 107–113.

Aluminum and Magnesium Alloys, New Forge Welding of—L. A. Cook and D. G. Shafer, 348–358.

Aluminum Bronze, Cupro-Nickel Welded with—Vincent Abaravich, 220–224—Discussions by: J. Imperati, 997; F. L. LaQue, 997; L. H. Hawthorne, 998–999; Author's Closure, 999–1000.

Aluminum Bronze, Inert-Gas-Shielded Arc Welding of Silicon and—Paul L. Hemmes, 779–788.

Aluminum Welding Cable—J. G. Stone, 320–327.

Arc Welding Austenitic Manganese Steels, Comparative Properties of Electrodes for—Discussion by: H. J. Chapin, 702–705; Author's Closure, 705.

Arc Welding, Controlled-Atmosphere—N. E. Weare and R. E. Monroe, 1169–1175.

Arc Welding, Industrial Applications of Magnetic-Flux Gas-Shielded—R. T. Telford and F. T. Stanchus, 771–778.

Arc Welding of Silicon and Aluminum Bronze, Inert-Gas-Shielded—Paul L. Hemmes, 779–788.

Automatic Line Tracing in Oxygen Shape-Cutting Machines—A. F. Chouinard and E. L. McDonald, 988–990.

Automatic Welding of Aircraft Accessory Turbine Wheels—A. J. Rosenberg and E. W. Jamison, 328–335.

Brazing for Elevated-Temperature Service, Fundamentals of—M. D. Bellware, 683–691.

Cast Components for Nuclear-Power Applications, Welding—W. H. Rice, 971–978.

Castings for High-Pressure and High-Temperature Applications, Welding Low-Alloy Steel—N. A. Chapin, C. H. Soldan and L. W. Songer, 979–987.

Casting Weldments in a Petroleum Industry—J. Bland, C. B. Parrish and R. C. Wheeler, 789–798.

Chemical Industries, Inert-Gas Tungsten-Arc Welding of Titanium for Nuclear and—G. M. Adamson and W. J. Leonard 673–682.

Comparative Properties of Electrodes for Arc Welding Austenitic Manganese Steels—Discussion by: H. J. Chapin, 702–705; Author's Closure, 705.

Consumable-Electrode Inert-Gas-Welding Filler Wire, Some Considerations Regarding—L. M. Petryck, 1086–1089.

Controlled-Atmosphere Arc Welding—N. E. Weare and R. E. Monroe, 1169–1175.

Cracking Associated with Porosity in Titanium Welds Over 0.125 In. Thick—R. P. Olsen and J. Gates, 478–483.
Cupro-Nickel Welded with Aluminum Bronze—Vincent Abaravich, 220–224—Discussions by: J. Imperati, 997; F. L. LaQue, 997; L. H. Hawthorne, 998–999; Author's Closure, 999–1000.

Design and Fabrication by Welding of the Carquinez Strait Bridge—Leonard C. Hollister, 309–319.
Design for Production by Welding—John Mikulak, 871–881.
Design for Welding, Elements of Joint—K. H. Koopman, 579–588.
Design Stresses, A Simplified Approach to Calculating—Omer Blodgett, 1182–1192.
Development of Welding for Engineering Fabrication, The—J. H. Humberstone, 9–15.

Electrodes for Arc Welding Austenitic Manganese Steels, Comparative Properties of—Discussion by: H. J. Chapin, 702–705; Author's Closure, 705.
Elements of Joint Design for Welding—K. H. Koopman, 579–588.
Engineering Problems of an All-Welded Two-Way Truss System—Wayne Teng, John A. Sbarounis and Michael P. Gaus, 565–569.
Evaluation of Spot Welds Made Through Primers and Sealers—B. A. Schevo, 799–802.

Fabrication by Welding of the Carquinez Strait Bridge, Design and—Leonard C. Hollister, 309–319.
Fabrication, The Development of Welding for Engineering—J. H. Humberstone, 9–15.
Ferrous Tubes to Tube Sheets, The Welding of Some Nonferrous and—R. W. Bennett, 1071–1080.
Filler Wire, Some Considerations Regarding Consumable-Electrode Inert-Gas-Welding—L. M. Petryck, 1086-1089.
Fluxes, Welding Alloy Steels under Bonded—Hallock C. Campbell and Wallace C. Johnson, 1081–1085.
Frequency-Converter Welding Control Using Counting Tubes—L. R. Broniak and W. A. Chaisson, 336–341.
Fundamentals of Brazing for Elevated-Temperature Service—M. D. Bellware, 683–691.
Fusion Welding of Titanium in Jet-Engine Applications—H. W. Hoefer, 467–477.

Gases in the Refrigerator Industry, Uses of Oxygen and Acetylene—Paul Bowman, 120–123.
Gas-Shielded Arc Welding, Industrial Applications of Magnetic-Flux—R. T. Telford and F. T. Stanchus, 771–778.

Handling and Use of Acetylene at Elevated Pressures—Hans Beller, 1090–1096.
How Good is Your Welder Power Supply?—A. C. Johnson and F. E. Donathan, 692–699.

Inconel "X" in Thickness Range of 0.032 to 0.188 In., Spot Welding of—Jean Harris, M. D. Bellware and J. J. Riley, 570–578.
Industrial Applications of Magnetic-Flux Gas-Shielded Arc Welding—R. T. Telford and F. T. Stanchus, 771–778.
Inert Atmospheres, Metal Spraying in—R. E. Monroe, D. C. Martin and C. B. Voldrich, 114–119.
Inert Gases for Controlled-Atmosphere Processes—E. F. Gorman, 882–889.
Inert-Gas-Shielded Arc Welding of Silicon and Aluminum Bronze—Paul L. Hemmes, 779–788.
Inert-Gas Tungsten-Arc Butt Welding of Zircaloy-2 Tubes—Discussions: by Robert E. Armstrong, 34–35; by R. E. Monroe and D. C. Martin, 35; Author's Closure, 35.
Inert-Gas Tungsten-Arc Welding of Titanium for Nuclear and Chemical Industries—G. M. Adamson and W. J. Leonard, 673–682.
Inert-Gas-Welding Filler Wire, Some Considerations Regarding Consumable-Electrode—L. M. Petryck, 1086–1089.
Investigation of Lap Seam Welds in 17–7 PH Stainless Steels, An—E. J. Funk and A. C. Willis, 897–905.

Jet-Engine Industry, Revised Welding Practices Pay Off in the—F. J. Bacon, 124–126.

Low-Alloy Steel Castings for High-Pressure and High-Temperature Applications, Welding—N. A. Chapin, C. H. Soldan and L. W. Songer, 979–987.

Machines, Automatic Line Tracing in Oxygen Shape Cutting—A. F. Chouinard and E. L. McDonald, 988-990.
Magnesium Alloys, New Forge Welding of Aluminum and—L. A. Cook and D. G. Shafer, 348–358.
Magnetic-Flux Gas-Shielded Arc Welding, Industrial Applications of—R. T. Telford and F. T. Stanchus, 771–778.
Manganese Steels, Comparative Properties of Electrodes for Arc Welding Austenitic—Discussion by: H. J. Chapin, 702–705; Author's Closure, 705.
Mechanized Surfacing with Alloy Materials—R. S. Zuchowski and J. H. Neely, 22–29.
Metal Spraying in Inert Atmospheres—R. E. Monroe, D. C. Martin and C. B. Voldrich, 114–119.
Metallizing and Its Application in Aircraft Gas-Turbine Components—Donald E. Hacker, 231–236.
Method for Evaluating Materials Used in Penetrant Flaw Detection—R. W. Miller, 30–33.

New Forge Welding of Aluminum and Magnesium Alloys—L. A. Cook and D. G. Shafer, 348–358.
New Techniques in Precision-Welding Control—J. L. Solomon and M. Balikov, 16–21.
Nitrogen as a Weld Backing Gas, The Value of—R. V. Anderson, 1193–1195.
Nondestructive Inspection, Use of Radioisotopes in Filler Metal for—Paul T. Barnes and Gordon L. Locher, 1176–1181.
Nonferrous and Ferrous Tubes to Tube Sheets, The Welding of Some—R. W. Bennett, 1071–1080.
Nuclear and Chemical Industries, Inert-Gas Tungsten-Arc Welding of Titanium for—G. M. Adamson and W. J. Leonard, 673–682.
Nuclear-Power Applications, Welding Cast Components for—W. H. Rice, 971–978.

Old Welding Process Cheats the Sea—L. L. Walker, Jr., 225–230.
Oxygen and Acetylene Gases in the Refrigerator Industry, Uses of—Paul Bowman, 120–123.
Oxygen Production—E. G. Hickling and A. E. Hittl, 700–701.
Oxygen Shape-Cutting Machines, Automatic Line Tracing in—A. F. Chouinard and E. L. McDonald, 988–990.

Penetrant Flaw Detection, Method for Evaluating Materials Used in—R. W. Miller, 30–33.
Performance of Welds in Some Aluminum Alloys—Paul B. Dickerson, 107–113.
Petroleum Industry, Casting Weldments in a—J. Bland, C. B. Parrish and R. C. Wheeler, 789–798.
Porosity in Aluminum-Alloy Welds—F. R. Collins, 589–593.
Precision-Welding Control, New Techniques in—J. L. Solomon and M. Balikov, 16–21.
Practical Welder and Designer
Acetylene Flame in the Piping Industry—H. A. Sosnin, 1004–1005.
Aluminum Alloy Yawl, All-Welded, 142.
Aluminum Sandwich Wall, Welded Studs Facilitate Fabrication of Field-Assembled Insulated, 141–142.
Aluminum Spiral Ribs Applied by Continuous Ultrasonic Welding, 1200.
Aluminum Window Frames, Tungsten-Arc Welding Raises Output of, 596.
Arc Welding Boosts Production of Auto Frames, CO_2-Shielded, 906–907.
Arc Welding, Three Times Faster with Magnetic-Flux Gas-Shielded—H. C. Hogue, Jr., 1099.
Atomic Age, "Canned" Energy for the, 808–809.
Atomium Dramatizes Welding—Clarence E. Jackson, 1001–1003.
Auto Frames, CO_2-Shielded Arc Welding Boosts Production of, 906–907.
Automatic Welding, Manipulator for—Harry S. Powell, 359–362.
Balancing the Unbalanced, 1200.
Big Dividends. . .with Spot-Welded Refrigerators, 363.
Birth of Goliaths—Charles Mitchell and H. R. Miller, 1196–1197.
Braze-Welding, Principles of, 708.
Brazing Job, One-Third Billion Dollar—H. O. Quartz, 127.
Bridge Members, Semiautomatic Welding Large, 139–140.
Bridges Are Welded, New Turnpike, 811.

"Canned" Energy for the Atomic Age, 808–809.
Choose the Best Current for Tungsten-Arc Welding, 38.
Composite Arc-Welded Steel Crankshaft Devised for Portable Gangsaw—Leighton W. Johnson, 706–707.
CO_2 Gas Welding Pioneers in Construction of Havana Tunnel—I. D. Holster, 36–37.
CO_2-Shielded Arc Welding Boosts Production of Auto Frames, 906–907.
Consumable Inserts Used in Welding Missile Air Tank, 239.

1500 Feet of Pipe an Hour—O. D. Smart, Jr., 1100.
Filler Metal Comparison Charts. . .AWS A5.0-57, 128–135.
First Aluminum Tugboat Features All-Welded Construction, 803–804.
Flame Cambering of Beams for Bridges—A. H. Yoch, 138.
Fluxing of Flanged Parts, Motorized Setup Simplifies, 809.
From Coils of Strip Steel to Continuous-Weld Pipe, 806–807.
From Three Days. . .to Three Hours, 909.

Gas-Shielded Arc Welding, Three Times Faster with Magnetic-Flux—H. C. Hogue, Jr., 1099.

Gas-Shielded Metal-Arc Spot Welding of Railroad Cabooses—B. J. Yelin, M. J. Baughman and R. E. Stentz, 908.
Gas-Shielded Metal-Arc Welding Aids Resurfacing of Copper Electrode Holders, 1199.
Gas-Shielded Welding Speeds Production 400%, Magnetic-Flux—Claude Elliott and Michael Misko, 1103–1104.
Gas-Shielded Welding, Worn Sugar-Cane Drive Rolls Reclaimed by—W. R. Lawrence, 146 and 149.

Hard Surfacing Eliminates Unnecessary Replacement Costs, 362.
Hard Surfacing in Field and Shop Keeps Slag-Recovery Operation Going—Robert Haas, 1010–1012.
Hard-Surfacing Paste Aids Production of Abrasion-Resistant Surfaces—L. V. LaRou, 1008–1009.

Inert-Gas-Shielded Metal-Arc Welding, Something's Up. . . With, 810.

Magnetic-Flux Gas-Shielded Arc Welding, Three Times Faster—H. C. Hogue, Jr., 1099.
Magnetic-Flux Gas-Shielded Welding Speeds Production 400%—Claude Elliott and Michael Misko, 1103–1104.
Manipulator for Automatic Welding—Harry S. Powell, 359–362.
Metal-Arc Welding Aids Resurfacing of Copper Electrode Holders, Gas-Shielded, 1199.
Metal-Arc Welding, Something's Up. . .with Inert-Gas-Shielded, 810.
Missile Air Tank, Consumable Inserts Used in Welding, 239.
More for Your Money—M. N. Konoske and J. C. Bell, 1102.
Motorized Setup Simplifies Fluxing of Flanged Parts, 809.

New Inland-Waterway Towboats Have Welded Stainless-Steel Hulls, 805.
New Turnpike Bridges Are Welded, 811.

One-Third Billion Dollar Brazing Job—H. O. Quartz, 127.
Oscillating Electrode Gives Fast Buildup on Worn Finger—Robert Hall, 492.
Outside Frame Skeleton on All-Welded Building Gives Clear Inner Area, Cuts Cost—Ray Zeh, 136–137.
Oxygen Cutting Speeds Jet Brake Rotor Production, 709.

Pipe an Hour, 1500 Feet of—O. D. Smart, Jr., 1100.
Pipe, From Coils of Strip Steel to Continuous-Weld, 806–807.
Piping Industry, The Acetylene Flame in the—H. A. Sosnin, 1004–1005.
Powder Lancing Clears Way for New Radiation Lab, 237–238.
Precision Plus—John J. View and Charles W. Pfleiger, 1006–1007.
Principles of Braze-Welding, 708.
Production Time Cut—Robert Hull and Glenn Hartwick, 238–239.

Radioisotope Capsules Sealed by Remote Control Welding, 140.
Railroad Cabooses, Gas-Shielded Metal-Arc Spot Welding of—M. J. Baughman, 908.

Schoolhouse on Stilts, 149.
Semiautomatic Welding Large Bridge Members, 139–140.
Soldering to Work. . .and Save!, Put, 143–145.
Solder Saves Freon Loss, Stainless Soft—William Hawker, 1101.
Something's Up. . .With Inert-Gas-Shielded Metal-Arc Welding, 810.
Spot-Welded Refrigerators, Big Dividends—With, 363.
Spot Welding of Railroad Cabooses, Gas-Shielded Metal-Arc—M. J. Baughman, 908.
Stainless Soft Solder Saves Freon Loss—William Hawker, 1101.
Stainless-Steel Hulls, New Inland-Waterway Towboats Have Welded, 805.
Submerged-Arc Welding T-1 Steel in Big Fabricated Beams, 811.

Three Times Faster with Magnetic-Flux Gas-Shielded Arc Welding—H. C. Hogue, Jr., 1099.
T-1 Steel in Big Fabricated Beams, Submerged-Arc Welding, 811.
Transistors, Welding Products Play Important Roles in Development and Production of—Robert Ingraham and J. F. Buerkell III, 1097–1098.
Two Welding Processes Ride Same Track—P. T. Moon, 491.
Tungsten-Arc Welding, Choose the Best Current for, 38.
Tungsten-Arc Welding Raises Output of Aluminum Window Frames, 596.
Tungsten-Arc Welding Solves Fabrication Problem 1012.

Vacuum-Furnace Fabrication. . .Ten Times Faster—V. W. Nicholson, 490–491.
Welded Slick Rail for Dry-Cleaning Plant, 1198.
Welded-Steel Residence Frame "Floats" on Concrete Piers, 1104.
Welded Studs Facilitate Fabrication of Field-Assembled Insulated Aluminum Sandwich Wall, 141–142.
Welded Trusses Rest on Haunches, 37.
Welding Builds "Transportation Casks" for Radioactive Materials—P. E. Woodward, 597.
Welding Costs Reduced by Two-Thirds in Fabrication of Cable-Drum Head, 907.
Welding of Spaced Metal Sheets, 489.
Welding Products Play Important Roles in Development and Production of Transistors—Robert Ingraham and J. F. Buerkell III, 1097–1098.
Welding Solves Construction Problems, 39.
Wide-Span Arches for Rigid-Frame School Structure are Completely Arc Welded—William F. Fischer, 594–596.
Worn Sugar-Cane Drive Rolls Reclaimed by Gas-Shielded Welding—C. B. Robinson and W. R. Lawrence, 146 and 149.

Qualification and Component Performance, Welding—W. L. Fleischmann, 991–996.

Rail Steel, Spot Welding of—D. Canonico and H. Schwartzbart, 484–488.
Refrigerator Industry, Uses of Oxygen and Acetylene Gases in the—Paul Bowman, 120–123.
Revised Welding Practices Pay Off in the Jet-Engine Industry—F. J. Bacon, 124–126.

Schedules for Spot Welding Projection Hardware to Mild-Steel Sheet and Plate—O. K. Barnes, Jr., 207–219.
Silicon and Aluminum Bronze, Inert-Gas-Shielded Arc Welding of—Paul L. Hemmes, 779–788.
Simplified Approach to Calculating Design Stresses, A—Omer Blodgett, 1182–1192.
Some Considerations Regarding Consumable-Electrode Inert-Gas-Welding Filler Wire—L. M. Petryck, 1086–1089.
Spot Welding of Rail Steel—D. Canonico and H. Schwartzbart, 484–488.
Spot Welding of Inconel "X" in Thickness Range of 0.032 to 0.188 In.—Jean Harris, M. D. Bellware and J. J. Riley, 570–578.
Spot Welding Projection Hardware to Mild-Steel Sheet and Plate, Schedules for—O. K. Barnes, Jr., 207–219.
Spot Welds Made Through Primers and Sealers, Evaluation of—B. A. Schevo, 799–802.
Stainless Steel and Titanium, Tungsten-Arc Welding of 0.002-In. and 0.005-In.—Jay C. Collins and S. P. Jenkins, 342–347.
Stainless Steel, An Investigation of Lap Seam Welds in 17-7 PH—E. J. Funk and A. C. Willis, 897–905.
Steel Castings for High-Pressure and High-Temperature Applications, Welding Low-Alloy—N. A. Chapin, C. H. Soldan and L. W. Songer, 979–987.
Steels Under Bonded Fluxes, Welding Alloy—Hallock C. Campbell and Wallace C. Johnson, 1081–1085.
Submerged-Arc Welding of Uranium—Gale S. Hanks, J. M. Taub and E. L. Brundige, 890–896—Discussion by: Hallock C. Campbell, 896; Author's Closure, 896.
Surfacing with Alloy Materials, Mechanized—R. S. Zuchowski and J. H. Neely, 22–29.

Titanium for Nuclear and Chemical Industries, Inert-Gas Tungsten-Arc Welding of—G. M. Adamson and W. J. Leonard, 673–682.
Titanium in Jet-Engine Applications, Fusion Welding of—H. W. Hoefer, 467–477.
Titanium, Tungsten-Arc Welding of 0.002-In. and 0.005-In. Stainless Steel and—Jay C. Collins and S. P. Jenkins, 342–347.
Titanium Welds Over 0.125 In. Thick, Cracking Associated with Porosity in—R. P. Olsen and J. Gates, 478–483.
Truss System, Engineering Problems of an All-Welded—Wayne Teng, John A. Sbarounis and Michael P. Gaus, 565–569.
Tubes to Tube Sheets, The Welding of Some Nonferrous and Ferrous—R. W. Bennett, 1071–1080.
Tungsten-Arc Butt Welding of Zircaloy-2 Tubes, Inert-Gas—Discussions: by Robert E. Armstrong, 34–35; by R. E. Monroe and D. C. Martin, 35; Author's Closure, 35.
Tungsten-Arc Welding of Titanium for Nuclear and Chemical Industries, Inert-Gas—G. M. Adamson and W. J. Leonard, 673–682.
Tungsten-Arc Welding of 0.002-In. and 0.005-In. Stainless Steel and Titanium—Jay C. Collins and S. P. Jenkins, 342–347.

Uranium, Submerged-Arc Welding of—Gale S. Hanks, J. M. Taub and E. L. Brundige, 890–896—Discussion by: Hallock C. Campbell, 896; Author's Closure, 896.
Use of Radioisotopes in Filler Metal for Nondestructive Inspection—Paul T. Barnes and Gordon L. Locher, 1176–1181.
Uses of Oxygen and Acetylene Gases in the Refrigerator Industry—Paul Bowman, 120–123.

Value of Nitrogen as a Weld Backing Gas, The—R. V. Anderson, 1193–1195.

Welder Power Supply?, How Good is Your—A. C. Johnson and F. E. Donathan, 692–699.
Welding Alloy Steels under Bonded Fluxes—Hallock C. Campbell and Wallace C. Johnson, 1081–1085.
Welding Cast Components for Nuclear-Power Applications—W. H. Rice, 971–978.
Welding Low-Alloy Steel Castings for High-Pressure and High-Temperature Applications—N. A. Chapin, C. H. Soldan and L. W. Songer, 979–987.
Welding of Some Nonferrous and Ferrous Tubes to Tube Sheets, The—R. W. Bennett, 1071–1080.
Welding Qualification and Component Performance—W. L. Fleischmann, 991–996.

Zircaloy-2 Tubes, Inert-Gas Tungsten-Arc Butt Welding of—Discussions: by Robert E. Armstrong, 34–35; by R. E. Monroe and D. C. Martin, 35; Author's Closure, 35.

AUTHOR INDEX

Abaravich, Vincent—Cupro-Nickel Welded with Aluminum Bronze, 220–224. Discussions by J. Imperati and F. L. LaQue, 997. Discussion by L. H. Hawthorne, 998; Author's Closure, 999–1000.
Adamson, G. M.—Inert-Gas Tungsten-Arc Welding of Titanium for Nuclear and Chemical Industries, 673–682.
Anderson, R. V.—The Value of Nitrogen as a Weld Backing Gas, 1193–1195.
Armstrong, Robert E.—Discussion of "Inert-Gas Tungsten-Arc Butt Welding of Zircaloy-2 Tubes," 34–35.

Bacon, F. J.—Revised Welding Practices Pay Off in the Jet-Engine Industry, 124–126.
Balikov, M.—New Techniques in Precision-Welding Control, 16–21.
Barnes, O. K., Jr.—Schedules for Spot Welding Projection Hardware to Mild-Steel Sheet and Plate, 207–219.
Barnes, Paul T.—Use of Radioisotopes in Filler Metal for Nondestructive Inspection, 1176–1181.
Beller, Hans—Handling and Use of Acetylene at Elevated Pressures, 1090–1096.
Bellware, M. D.—Spot Welding of Inconel "X" in Thickness Range of 0.032 to 0.188 In., 570–578.
Fundamentals of Brazing for Elevated-Temperature Service, 683–691.
Bennett, R. W.—The Welding of Some Nonferrous and Ferrous Tubes to Tube Sheets, 1071–1080.
Bland, J.—Casting Weldments in a Petroleum Refinery, 789–798.
Blodgett, Omer—A Simplified Approach to Calculating Design Stresses, 1182–1192.
Bowman, Paul—Uses of Oxygen and Acetylene Gases in the Refrigerator Industry, 120–123.
Broniak, L. R.—Frequency-Converter Welding Control Using Counting Tubes, 336–341.
Brundige, E. L.—Submerged-Arc Welding of Uranium, 890–896.
Discussion by Hallock C. Campbell, 896; Author's Closure, 896.

Campbell, Hallock C.—Discussion of "Submerged-Arc Welding of Uranium," 896.
Welding Alloy Steels Under Bonded Fluxes, 1081–1085.
Canonico, D.—Spot Welding of Rail Steel, 484–488.
Chaisson, W. A.—Frequency-Converter Welding Control Using Counting Tubes, 336–341.
Chapin, H. J.—Discussion of "Comparative Properties of Electrodes for Arc Welding Austenitic Manganese Steels," 702–705; Authors' Closure, 705.
Chapin, N. A.—Welding Low-Alloy Steel Castings for High-Pressure and High-Temperature Service, 979–987.
Choutnard, A. F.—Automatic Line Tracing in Oxygen Shape-Cutting Machines, 988–990.
Collins, F. R.—Porosity in Aluminum-Alloy Welds, 589–593.
Collins, Jay C.—Tungsten-Arc Welding of 0.002-in. and 0.005-in. Stainless Steel and Titanium, 343–347.
Cook, L. A.—New Forge Welding of Aluminum and Magnesium Alloys, 348–358.

Dickerson, Paul B.—Performance of Welds in Some Aluminum Alloys, 107–113.
Donathan, F. E.—How Good Is Your Welder Power Supply? 692–699.

Fleischmann, W. L.—Welding Qualification and Component Performance, 991–996.
Funk, E. J.—An Investigation of Lap Seam Welds in 17-7 PH Stainless Steel, 896–905.

Gates, J.—Cracking Associated with Porosity in Titanium Welds Over 0.125 In. Thick, 478–483.
Gaus, Michael P.—Engineering Problems of an All-Welded Two-Way Truss System, 565–569.
Gorman, E. F.—Inert Gases for Controlled-Atmosphere Processes, 882–889.

Hacker, Donald E.—Metallizing and Its Application in Aircraft Gas-Turbine Components, 231–236.
Hanks, Gale S.—Submerged-Arc Welding of Uranium, 890–896. Discussion by Hallock C. Campbell, 896; Authors' Closure, 896.
Harris, Jean—Spot Welding of Inconel "X" in Thickness Range of 0.032 to 0.188 In., 570–578.
Hemmes, Paul L.—Inert-Gas-Shielded Arc Welding of Silicon and Aluminum Bronze, 779–788.
Hickling, E. G.—Oxygen Production, 700–701.
Hittl, A. E.—Oxygen Production, 700–701.
Hoefer, H. W.—Fusion Welding of Titanium in Jet-Engine Applications, 467–477.
Hollister, Leonard C.—Design and Fabrication by Welding, of The Carquinez Strait Bridge, 309–319.
Humberstone, J. H.—The Development of Welding for Engineering Fabrication, 9–15.

Jamison, E. W.—Automatic Welding of Aircraft Accessory Turbine Wheels, 328–335.
Jenkins, S. P.—Tungsten-Arc Welding of 0.002-in. and 0.005-in. Stainless Steel and Titanium, 342–347.
Johnson, A. C.—How Good Is Your Welder Power Supply? 692–699.
Johnson, Wallace C.—Welding Alloy Steels Under Bonded Fluxes, 1081–1085.

Koopman, K. H.—Elements of Joint Design for Welding, 579–588.

Leonard, W. J.—Inert-Gas Tungsten-Arc Welding of Titanium for Nuclear and Chemical Industries, 673–682.
Locher, Gordon L.—Use of Radioisotopes in Filler Metal for Nondestructive Inspection, 1176–1181.

Martin, D. C.—Discussion of "Inert-Gas Tungsten-Arc Butt Welding of Zircaloy-2 Tubes," 35.
Metal Spraying in Inert Atmospheres, 114–119.
McDonald, E. L.—Automatic Line Tracing in Oxygen Shape-Cutting Machines, 988–990.
Mikulak, John—Design for Production by Welding, 871–881.
Miller, R. W.—A Method of Evaluating Materials Used in Penetrant Flaw Detection, 30–33.
Monroe, R. E.—Metal Spraying in Inert Atmospheres, 114–119. Controlled-Atmosphere Arc Welding, 1169–1175.

Neely, J. H.—Mechanized Surfacing with Alloy Materials, 22–29.

Olsen, R. P.—Cracking Associated with Porosity in Titanium Welds Over 0.125 In. Thick, 478–483.

Parrish, C. B.—Casting Weldments in a Petroleum Refinery, 789–798.
Petryck, L. M.—Some Considerations Regarding Consumable-Electrode Inert-Gas-Welding Filler Wire, 1086–1089.

Rice, W. H.—Welding Cast Components for Nuclear-Power Applications, 971–978.
Riley, J. J.—Spot Welding of Inconel "X" in Thickness Range of 0.032 to 0.188 In., 570–578.
Rosenberg, A. J.—Automatic Welding of Aircraft Accessory Turbine Wheels, 328–335.

Sbarounis, John A.—Engineering Problems of an All-Welded Two-Way Truss System, 565–569.
Schevo, B. A.—Evaluation of Spot Welds Made Through Primers and Sealers, 799–802.
Schwartzbart, H.—Spot Welding of Rail Steel, 484–488.
Shafer, D. G.—New Forge Welding of Aluminum and Magnesium Alloys, 348–358.

Soldan, C. H.—Welding Low-Alloy Steel Castings for High-Pressure and High-Temperature Service, 979-987.
Solomon, J. L.—New Techniques in Precision-Welding Control, 16–21.
Songer, L. W.—Welding Low-Alloy Steel Castings for High-Pressure and High-Temperature Service, 979–987.
Stanchus, F. T.—Industrial Applications of Magnetic-Flux Gas-Shielded Arc Welding, 771–778.
Stone, J. G.—Aluminum Welding Cable, 320–327.

Talb, J. M.—Submerged-Arc Welding of Uranium, 890–896. Discussion by Hallock C. Campbell, 896; Authors' Closure, 896.
Telford, R. T.—Industrial Applications of Magnetic-Flux Gas-Shielded Arc Welding, 771–778.
Teng, Wayne—Engineering Problems of an All-Welded Two-Way Truss System 565–569.
Volgrich, C. B.—Metal Spraying in Inert Atmospheres, 111–119.

Walker, L. L., Jr.—An Old Welding Process Cheats the Sea, 225–230.
Weare, N. E.—Controlled-Atmosphere Arc Welding, 1169–1175.
Wheeler, R. C.—Casting Weldments in a Petroleum Refinery, 789–798.
Willis, A. C.—An Investigation of Lap Seam Welds in 17-7 PH Stainless Steel, 897–905.

Zuchowski, R. S.—Mechanized Surfacing with Alloy Materials, 22–29.

WELDING RESEARCH SUPPLEMENT

SUBJECT INDEX

Aluminum Alloys—Chlorine Additions for High-Quality Inert-Gas Metal-Arc Welding of—M. B. Kasen and A. R. Peluger, 269-s to 276-s.
Aluminum Alloys, Ultrasonic Welding of—J. Byron Jones and Florence R. Meyer, 81-s to 92-s.
Aluminum Joints, Effect of Welding Speed on Strength of 6061-T4—W. L. Burch 361-s to 367-s.
Arc Control of Melting Rate and Metal Transfer in Gas-Shielded Metal-Arc Welding—A. Lesnewich, 343-s to 353-s.
Arc Studies—Control of Melting Rate and Metal Transfer in Gas-Shielded Metal-Arc Welding, Part II—Control of Metal Transfer—A. Lesnewich, 418-s to 425-s.
Austenitic Manganese Weld Metal, Role of Phosphorus in—W. T. Delong, W. L. Lutes and H. F. Reid, Jr., 316-s to 319-s.

Brass—Effect of Pressure on the Diffusion of Zinc in—A. G. Guy and C. Spinelli, 524-s to 526-s.
Braze Bonding of Cermet-Valve Components to Metals—G. M. Slaughter, P. Patriarca and W. D. Manly, 249-s to 254-s.
Brazed Joints in Steel—Fatigue Strength of Silver-Alloy—C. H. Chatfield and Sam Tour, 37-s to 40-s.
Brazed Joints, Metallurgy of Bonding in—N. Bredzs and H. Schwartzbart, 493-s to 498-s.
Brazed Joints—Proposed Procedure for Testing Shear Strength of—F. M. Miller and R. L. Peaslee, 144-s to 150-s.
Brazing—A Survey of the Bonding of Cermets to Metals—G. R. Van Houten, 558-s to 569-s.
Brazing Alloy High-Temperature—Base Metal Interface Reactions—W. Feduska, 62-s to 73-s.
Brazing Alloys, Further Evaluation of NI-CR-B and AU-18NI—W. H. Chang, 535-s to 542-s.
Brazing—High-Temperature Vacuum Brazing of Jet-Engine Materials—E. G. Huschke, Jr., and G. S. Hoppin III, 233-s to 240-s.
Brittle Fracture—Charpy Brittle-Fracture Transitions by the Lateral Expansion-Energy Relationship—George M. Orner, 201-s to 205-s.
Brittle Fracture—Improved Notch Toughness of Experimental Semikilled Steels over one inch in thickness—R. W. Vanderbeck, 10-s to 20-s.
Brittle-Fracture Initiation at Static Net Stress 40% of Yield—C. Mylonas, D. C. Drucker and J. D. Brunton, 473-s to 479-s.
Brittle-Fracture, Service Failures Correlations of Laboratory Notch-Ductility Tests—P. P. Puzak, A. J. Babecki and W. S. Pellini, 391-s to 410-s.
Brittle Fracture—The Influence of Ferrite Banding on the Impact Properties of Mild Steel—W. S. Owen, M. Cohen and B. L. Averbach, 368-s to 374-s.

Chromium-Moly Steels Welding Metallurgy for High-Temperature Steam-Turbine Components—R. J. Christoffel, R. M. Curran, F. H. Domina and C. H. Soldan, 295-s to 303-s.
CO_2-O_2 Arc Welding Low Crack Sensitivity of Steel Joint by—H. Sekiguchi and I. Masumoto, 326-s to 336-s.

Design Values for Thermal Stress in Ductile Materials—B. F. Langer, 411-s to 417-s.
Diffusion Bonding Below 1000° F—J. T. Niemann, R. P. Sopher and P. J. Rieppel, 337-s to 342-s.
Dilatometer High-Speed Designed for Welding Research—E. C. Nelson, 57-s to 61-s.

Electrode Holder, Vibrating—L. Lanyi, 48-s.
Electrode Type Effects of Preheating and Thermal Stress Relief on Notch Toughness—L. J. McGeady, 543-s to 553-s.
Electron-Beam, High Vacuum Fusion Welding—W. L. Wyman, 49-s to 53-s.

Fatigue Characteristics of Single-Lap Joints of AISI 347 Brazed with a NI-CR-SI-B-C Alloy—R. G. Aspden and W. Feduska, 125-s to 128-s.
Fatigue Failures in Fatigue Machines—W. H. Munse, 54-s to 56-s.
Fatigue Life of Spot Welds, Improving of, 315-s, 336-s.
Fatigue Strength of Silver-Alloy Brazed Joints in Steel—C. H. Chatfield and Sam Tour, 37-s to 40-s.
Fatigue Strength of Submerged-Arc Welds—Effect of Defects on—H. Moller and M. Hempel, 113-s, 128-s.
Filler Metals for Welding SAE 4130, 4140 and 4340 Steels—H. W. Mishler, R. P. Sopher and P. J. Rieppel, 41-s to 48-s.

Galvanized Steels, Welding of—I. L. Stern and H. Nagler, 507-s to 514-s.

Hydrogen in Mild-Steel Welds—M. Lefevre, 168-s.

Inert Gas-Shielded Metal-Arc Welding, Control of Metal Transfer—A. Lesnewich, 418-s to 425-s.

Magnesium-Thorium Alloys, The Arc Welding of Wrought—L. F. Lockwood and P. Klain, 255-s to 264-s.
Material Rating Based Upon True Stress-Strain Properties—J. Marin and M. G. Sharma, 375-s to 378-s.
Molybdenum-Alloy Sheet, Welding of—K. M. Kulju and W. H. Kearns, 440-s to 444-s.
Molybdenum—Inert-Gas-Shielded Consumable-Electrode Welding of—N. E. Weare, R. E. Monroe and D. C. Martin, 117-s to 124-s.

Nickel-Alloy Welds Control of Porosity in—G. R. Pease, R. E. Brien and P. E. Legrand, 354-s to 360-s.
Nuclear Applications—Development of Methods for End Capping Fuel Elements—J. J. Vagi and D. C. Martin, 499-s to 506-s.

Oxygen-Cut Surface, Quality of—H. Christoph, 53-s.
Oxygen Cutting, Combustion of Liquid Hydrocarbon Fuels for—Dieu Khuong-Huu, Sheldon S. White and Clyde M. Adams, Jr., 101-s to 106-s.

Pipe Weldments—A Quantitative Evaluation of Residual-Stress Relief in—Jack E. Cook and Roy B. McCauley, 179-s to 184-s.
Piping—Postheat Treating Weldments with an Exothermic Material—M. F. Sheely and B. L. Lacey, 554-s to 557-s.
Porosity—Effects of Steel-making Practice on Submerged-Arc Weld—James T. Lapsley, Jr., 169-s to 178-s.
Porosity Effects on Mild-Steel Welds—The Effects of Porosity on Mild-Steel Welds—W. L. Green, M. F. Hamad and R. B. McCauley, 206-s to 209-s.
Postheat Treating Weldments with an Exothermic Material—M. F. Sheely and B. L. Lacey, 554-s to 557-s.
Postheating and Preheating Effects on Toughness of Weld Metal—T. N. Armstrong and W. L. Warner, 27-s to 29-s.
Preheating and Postheating Effects on Toughness of Weld Metal—T. N. Armstrong and W. L. Warner, 27-s to 29-s.

Preheating and Thermal Stress Relief Effects and Electrode Type on Notch Toughness—L. J. McGeady, 543-s to 553-s.
Preheating of Plain, Low-Carbon Steels—E. Paul de Garmo, 93-s to 96-s.
Preheating—Residual Stresses—Stress Relieving—W. Spraragen, 21-s.
Pressure Vessel, Design of a Thin-Walled Cylindrical, Considering Plasticity—J. Marin and M. G. Sharma, 515-s to 519-s.
Pressure-Vessel Reactor Design—Safeguards Aspects of—D. R. Miller and W. E. Cooper, 22-s to 26-s
Pressure-Vessel Steels—Effect of Heat Treatment on the Microstructure and Low-Temperature Properties of—J. H. Gross, E. H. Kottcamp and R. D. Stout, 160-s to 168-s.
Pressure-Vessel Material Rating Based Upon True Stress-Strain Properties—J. Marin and M. G. Sharma, 375-s to 378-s.
Pressure Vessels, Plastic Design of Thick-Walled—J. Marin and F. P. J. Rimrott, 570-s to 576-s.
Pressure Vessels—Reinforcement of Openings in—E. O. Waters, 277-s to 288-s.

Reactor Vessel Design—Safeguards Aspects of—D. R. Miller and W. E. Cooper, 22-s to 26-s.
Research Problems, Current Welding, 379-s to 384-s.
Residual-Stress Relief in Pipe Weldments—A Quantitative Evaluation of—Jack E. Cook and Roy B. McCauley, 179-s to 184-s.
Residual Stresses—Design Values for Thermal Stress in Ductile Materials—B. F. Langer, 411-s to 417-s.
Residual Stresses in Welded Titanium Plates—E. F. Nippes and W. F. Savage, 433-s to 439-s.
Residual Stresses—Preheating—Stress Relieving—W. Spraragen, 21-s.
Resistance Welding—Electrode-Tip Life Studies in Series Spot Welding—E. F. Nippes, W. F. Savage, S. M. Robelotto and K. E. Dorschu, 241-s to 248-s.
Russian Welding—Report of the Second Welding Delegation from East Germany on Their Tour in Russia—F. Richter, G. Becker, P. Weisswasser and E. Leinhos, 519-s, 523-s, 526-s to 528-s.

Seam Welding Galvanized Steel—W. J. Allen and M. L. Begeman, 138-s to 143-s
Ship Structure, Today's Trends in—D. K. Felbeck, 265-s to 268-s.
Ships—Correlation of Metallurgical Properties and Service Performance of Steel Plates from Fractured Ships—M. L. Williams, 445-s to 454-s.
Shrinkage, Transverse Weld—W. Gilde, 48-s.
Spot Welding—Electrode-Tip Life Studies in Series—E. F. Nippes, W. F. Savage, S. M. Robelotto and K. E. Dorschu, 241-s to 248-s.
Spot Welding of Ti-6Al-4V Alloy—R. K. Nolen, J. F. Rudy, H. Schwartzbart and H. D. Kessler, 129-s to 137-s.
Spot Welds, Improving the Fatigue Life of, 315-s, 336-s.
Spot Welds, Mechanical Tests of—E. C. Hartmann, 520-s to 523-s.
Stainless Steel—Advances in Welding Austenitic Materials in the Construction of Chemical Apparatus and Tanks—J. Mundt, 454-s and 467-s.
Stainless Steel, Cooperative Investigation of a New Welding Electrode for—R. D. Wylie, 426-s to 432-s.
Stainless Steel, Joining to Zircaloy—J. B. McAndrew, R. Nechelles and H. Schwartzbart, 529-s to 534-s.
Stainless Steel, Studies of Stress-Corrosion Cracking of Austenitic—H. L. Logan, 463-s to 467-s.
Stainless Steels, Stress Relieving of and the Associated Metallurgy—R. A. Huseby, 304-s to 315-s.
Stress Relieving of Stainless Steels and the Associated Metallurgy—R. A. Huseby, 304-s to 315-s.
Stress Relieving—Preheating—Residual Stresses—W. Spraragen, 21-s.
Structural-Behavior of Welded Corner Connections—J. W. Fisher, G. C. Driscoll, Jr., and F. W. Schutz, Jr., 216-s to 232-s.
Structural—Effect of Fabricated Edge Conditions on Brittle Fracture of Structural Steels—L. A. Harris and N. M. Newmark, 137-s.

Thermal Stress Relief and Preheating and Electrode Type on Notch Toughness—L. J. McGeady, 543-s to 553-s.
Titanium Alloys, Comparison Between Welds in Iodide-and Sponge-Base—W. J. Lewis, M. L. Kohn and G. E. Faulkner, 385-s to 390-s.
Titanium Plates, Residual Stresses in—E. F. Nippes and W. F. Savage, 433-s to 439-s.
Transition Temperature—Ductility and Energy Relations in Charpy Tests of Structural Steels—J. H. Gross and R. D. Stout, 151-s to 155-s.
Discussion by C. E. Hartbower and G. M. Orner, 156-s to 157-s.
Discussion by Norman Block, 158-s; Author's Closure, 158-s to 159-s.
Transition Temperature—Effect of Preheating and Postheating on Toughness of Weld Metal—T. N. Armstrong and W. L. Warner, 27-s to 29-s.
Transition Temperature—Effects of Preheating, Thermal Stress Relief and Electrode Type on Notch Toughness—L. J. McGeady, 543-s to 553-s.
Transition Temperature—The Influence of Ferrite Banding on the Impact Properties of Mild Steel—W. S. Owen, M. Cohen and B. L. Averbach, 368-s to 374-s.
Transition Temperatures—Charpy Brittle-Fracture Transitions by the Lateral Expansion-Energy Relationship—George M. Orner, 201-s to 205-s.
Transition Temperatures—Controlled Low-Temperature Hot Rolling as Practiced in Europe—R. W. Vanderbeck, 114-s to 116-s
Transition Temperatures—Energy Absorption Studies of Welds in Tempered Martensitic Base Metal—W. H. Bruckner and C. A. Robertson, 97-s to 100-s.

Ultrasonic Welding of Structural Aluminum Alloys—J. Byron Jones and Florence R. Meyer, 81-s to 92-s.
University Research Work—W. Spraragen, 480-s.

Weldability—A Study of Factors Affecting the Strength and Ductility of Weld Metal—C. M. Wayman and R. D. Stout, 193-s to 200-s.
Weldability—A Theory for Preheating of Plain, Low-Carbon Steels—E. Paul de Garmo, 93-s to 96-s.
Weldability—Continuous Cooling Transformation Characteristics of Three Types of Weld Metal—E. F. Nippes and E. C. Nelson, 30-s to 36-s.
Weldability—*Control of Melting Rate and* Metal *Transfer in* Gas-Shielded Metal-Arc Welding—A. Lesnewich, 343-s to 353-s.
Weldability—Cooling Rates and Peak Temperatures in Fusion Welding—Clyde M. Adams, Jr., 210-s to 215-s.
Weldability—Correlations of Brittle-Fracture Service Failures with Laboratory Notch-Ductility Tests—P. P. Puzak, A. J. Babecki and W. S. Pellini, 391-s to 410-s.
Weldability—Dynamic Measurement of Stress Associated with Weld Cracking—S. S. White, W. G. Moffatt and C. M. Adams, Jr., 185-s to 192-s.
Weldability—Effects of Chemical Composition on Cracking Resistance of High-Strength-Steel Weld Metals—R. P. Sopher, 481-s to 492-s.
Weldability—Evaluation of the Kinzel Test from its Fracture Characteristics—R. D. Stout, W. J. Murphy and R. C. Westgren, 107-s to 113-s.
Weldability—Fabrication and Service Factors Involved in Failure of Welded Steam Receivers—A. J. Babecki and P. P. Puzak, 320-s to 325-s.
Weldability—Factors Affecting the Ductility of Steel Weld Metal—H. Sachs, 514-s.
Weldability—Improved notch toughness of Experimental Semi-killed Steels Over One Inch in Thickness—R. W. Vanderbeck, 10-s to 20-s.
Weldability of Notch-Ductile Steels—L. Reeve, 74-s to 80-s.
Weldability—Prediction of Weld Heat-Affected Zone Microstructures from Continuous-Cooling Transformation Data—E. F. Nippes and E. C. Nelson, 289-s to 294-s.
Weldability—Role of Phosphorus in Austenitic Manganese Weld Metal—W. T. DeLong, W. L. Lutes and H. F. Reid, Jr., 316-s to 319-s.
Weldability—Toughness of Welds Evaluated Separately and in Composite—W. P. Hatch, Jr. and C. E. Hartbower, 455-s to 462-s.
Weldability—Welding Metallurgy of CR-MO-V Steels for High-Temperature Steam-Turbine Components—R. J. Christoffeel, R. M. Curran, F. H. Domina and C. H. Soldan, 295-s to 303-s.

Zircaloy—A Study of Metallurgical Effects in the Multipass Welding of—R. E. Johnson and B. W. Schaaf, 1-s to 9-s.
Zircaloy, Joining to Stainless Steel—J. B. McAndrew, R. Nechelles and H. Schwartzbart, 529-s to 534-s.
Zircaloy-2, Corrosion of Sheet Weldments—R. Stein and R. E. Monroe, 468-s to 472-s.

AUTHOR INDEX

Adams, Clyde, M., Jr.—Combustion of Liquid Hydrocarbon Fuels for Oxygen Cutting, 101-s to 106-s.
Dynamic Measurement of Stress Associated with Weld Cracking, 185-s to 192-s.
Cooling Rates and Peak Temperatures in Fusion Welding, 210-s to 215-s.

Allen, W. J.—Seam Welding Galvanized Steel, 138-s to 143-s.

Armstrong, T. N.—Effect of Preheating and Postheating on Toughness of Weld Metal, 27-s to 29-s.

Aspden, R. G.—Fatigue Characteristics of Single-Lap Joints of AISI 347 Brazed with a Ni-Cr-Si-B-C Alloy, 125-s to 128-s.

Averbach, B. L.—The Influence of Ferrite Banding on the Impact Properties of Mild Steel, 368-s to 374-s.

Babecki, A. J.—Fabrication and Service Factors Involved in Failure of Welded Steam Receivers, 320-s to 325-s.
Correlations of Brittle-Fracture Service Failures with Laboratory Notch-Ductility Tests, 391-s to 410-s.

Becker, G.—Report of the Second Welding Delegation from East Germany on Their Tour in Russia, 519-s; 523-s; 526-s to 528-s.

Begeman, M. L.—Seam Welding Galvanized Steel, 138-s to 143-s.

Block, Norman—Discussion, "Ductility and Energy Relations in Charpy Tests of Structural Steels," 158-s; Authors' Closure, 158-s to 159-s.

Bredzs, Nikolajs—Metallurgy of Bonding in Brazed Joints—Part I—Base Metal-Filler Metal Interaction, Excluding Compound Formation, 493-s to 498-s.

Brien, R. E.—The Control of Porosity in High-Nickel-Alloy Welds, 354-s to 360-s.

Bruckner, W. H.—Energy Absorption Studies of Welds in Tempered Martensitic Base Metal, 97-s to 100-s.

Brunton, J. D.—Static Brittle-Fracture Initiation at Net Stress 40% of Yield, 473-s to 479-s.

Burch, William L.—The Effect of Welding Speed on Strength of 6061-T4 Aluminum Joints, 361-s to 367-s.

Chang, Winston H.—Further Evaluation of Ni-Cr-B and Au-18 Ni Brazing Alloys, 535-s to 542-s.

Chatfield, C. H.—Fatigue Strength of Silver-Alloy Brazed Joints in Steel, 37-s to 40-s.

Christoffel, R. J.—Welding Metallurgy of Cr-Mo-V Steels for High-Temperature Steam-Turbine Components, 295-s to 303-s.

Christoph, H.—The Quality of Oxygen-Cut Surface, 53-s.

Cohen, Morris—The Influence of Ferrite Banding on the Impact Properties of Mild Steel, 368-s to 374-s.

Cook, Jack E.—A Quantitative Evaluation of Residual-Stress Relief in Pipe Weldments, 179-s to 184-s.

Cooper, W. E.—Safeguards Aspects of Reactor Vessel Design, 22-s to 26-s.

Curran, R. M.—Welding Metallurgy of Cr-Mo-V Steels for High-Temperature Steam-Turbine Components, 295-s to 303-s.

DeGarmo, E. Paul—A Theory for Preheating of Plain, Low-Carbon Steels, 93-s to 96-s.

DeLong, W. T.—Role of Phosphorus in Austenitic Manganese Weld Metal, 316-s to 319-s.

Domina, F. H.—Welding Metallurgy of Cr-Mo-V Steels for High-Temperature Steam-Turbine Components, 295-s to 303-s.

Dorschu, K. E.—Electrode-Tip Life Studies in Series Spot Welding, 241-s to 248-s.

Driscoll, George C., Jr.—Behavior of Welded Corner Connections, 216-s to 232-s.

Drucker, D. C.—Static Brittle-Fracture Initiation at Net Stress 40% of Yield, 473-s to 479-s.

Faulkner, G. E.—Comparisons Between Welds in Iodide- and Sponge-Base Titanium Alloys, 385-s to 390-s.

Feduska, W.—The Nature of High-Temperature Brazing Alloy-Base Metal Interface Reactions, 62-s to 73-s.
Fatigue Characteristics of Single-Lap Joints of AISI 347 Brazed with a Ni-Cr-Si-B-C Alloy, 125-s to 128-s.

Felbeck, David K.—Today's Trend in Ship Research, 265-s to 268-s.

Fisher, John W.—Behavior of Welded Corner Connections, 216-s to 232-s.

Gilde, W.—Transverse Weld Shrinkage, 48-s.

Green, William L.—The Effects of Porosity on Mild-Steel Welds, 206-s to 209-s.

Gross, J. H.—Ductility and Energy Relations in Charpy Tests of Structural Steels, 151-s to 155-s.
Effect of Heat Treatment on the Microstructure and Low-Temperature Properties of Pressure-Vessel Steels, 160-s to 168-s.

Guy, A. G.—Effect of Pressure on the Diffusion of Zinc in Alpha Brass, 524-s to 526-s.

Hamad, Mahmoud F.—The Effects of Porosity on Mild-Steel Welds, 206-s to 209-s.

Harris, L. A.—Effect of Fabricated Edge Conditions on Brittle Fracture of Structural Steels, 137-s.

Hartbower, C. E.—Discussion, "Ductility and Energy Relations in Charpy Tests of Structural Steels," 156-s to 157-s.
Toughness of Welds Evaluated Separately and in Composite, 455-s to 462-s.

Hartmann, E. C.—Mechanical Tests of Spot Welds, 520-s to 523-s.

Hatch, William P., Jr.—Toughness of Welds Evaluated Separately and in Composite, 455-s to 462-s.

Hempel, M.—The Effect of Defects on the Fatigue Strength of Submerged-Arc Welds, 113-s; 128-s.

Hoppin, G. S., III—High-Temperature Vacuum Brazing of Jet-Engine Materials, 233-s to 240-s.

Huschke, E. G., Jr.—High-Temperature Vacuum Brazing of Jet-Engine Materials, 233-s to 240-s.

Huseby, R. A.—Stress Relieving of Stainless Steels and the Associated Metallurgy, 304-s to 315-s.

Johnson, R. E.—A Study of Metallurgical Effects in the Multipass Welding of Zircaloy, 1-s to 9-s.

Jones, J. Byron—Ultrasonic Welding of Structural Aluminum Alloys, 81-s to 92-s.

Kasen, M. B.—Chlorine Additions for High-Quality Inert-Gas Metal-Arc Welding of Aluminum Alloys, 269-s to 276-s.

Kearns, W. H.—Welding of Molybdenum-Alloy Sheet, 440-s to 444-s.

Kessler, H. D.—Spot Welding of Ti-6Al-4V Alloy, 129-s to 137-s.

Khuong-Huu, Dieu—Combustion of Liquid Hydro-Carbon Fuels for Oxygen Cutting, 101-s to 106-s.

Klain, Paul—The Arc Welding of Wrought Magnesium-Thorium Alloys, 255-s to 264-s.

Kohn, M. L.—Comparisons Between Welds in Iodide- and Sponge-Base Titanium Alloys, 385-s to 390-s.

Kottcamp, E. H.—Effect of Heat Treatment on the Microstructure and Low-Temperature Properties of Pressure-Vessel Steels, 160-s to 168-s.

Kulju, K. M.—Welding of Molybdenum-Alloy Sheet, 440-s to 444-s.

Lacey, B. L.—Postheat Treating Weldments with an Exothermic Material, 554-s to 557-s.

Langer, B. F.—Design Values for Thermal Stress in Ductile Materials, 411-s to 417-s.

Lanyi, L.—A Vibrating Electrode Holder, 48-s.

Lapsley, James T., Jr.—Effects of Steel-Making Practice on Submerged-Arc Weld Porosity, 169-s to 178-s.

Lefèvre, M.—Hydrogen in Mild Steel Welds, 168-s.

Legrand, P. E.—The Control of Porosity in High-Nickel-Alloy Welds, 354-s to 360-s.

Leinhos, E.—Report of the Second Welding Delegation from East Germany on Their Tour in Russia, 519-s; 523-s; 526-s to 528-s.

Lesnewich, A.—Control of Melting Rate and Metal Transfer in Gas-Shielded Metal-Arc Welding. Part I—Control of Electrode Melting Rate, 343-s to 353-s; Part II—Control of Metal Transfer, 418-s to 425-s.

Lewis, W. J.—Comparisons Between Welds in Iodide- and Sponge-Base Titanium Alloys, 385-s to 390-s.

Lockwood, L. F.—The Arc Welding of Wrought Magnesium-Thorium Alloys, 255-s to 264-s.

Logan, Hugh L.—Studies of Stress-Corrosion Cracking of Austenitic Stainless Steel, 463-s to 467-s.

Lutes, W. L.—Role of Phosphorus in Austenitic Manganese Weld Metal, 316-s to 319-s.

Manly, W. D.—Bonding of Cermet-Valve Components to Metals, 249-s to 254-s.

Marin, Joseph—Material Rating Based Upon True Stress-Strain Properties, 375-s to 378-s.
Design of a Thin-Walled Cylindrical Pressure Vessel Considering Plasticity, 515-s to 519-s.
Plastic Design of Thick-Walled Pressure Vessels, 570-s to 576-s.

Martin, D. C.—Inert-Gas-Shielded Consumable-Electrode Welding of Molybdenum, 117-s to 124-s.
Development of Methods for End Capping PWR Fuel Elements, 499-s to 506-s.

Masumoto, I.—Low Crack Sensitivity of Steel Joint by CO_2-O_2 Arc Welding, 326-s to 336-s.

McAndrew, J. B.—Joining of Zircaloy to Stainless Steel, 529-s to 534-s.

McCauley, Roy B.—A Quantitative Evaluation of Residual-Stress Relief in Pipe Weldments, 179-s to 184-s.
The Effects of Porosity on Mild-Steel Welds, 206-s to 209-s.

McGeady, L. J.—Effects of Preheating, Thermal Stress Relief and Electrode Type on Notch Toughness, 543-s to 553-s.
Meyer, Florence R.—Ultrasonic Welding of Structural Aluminum Alloys, 81-s to 92-s.
Miller, D. R.—Safeguards Aspects of Reactor Vessel Design, 22-s to 26-s.
Miller, F. M.—Proposed Procedure for Testing Shear Strength of Brazed Joints, 144-s to 150-s.
Mishler, H. W.—Development of Filler Wires for Welding SAE 4130, 4140 and 4340 Steels, 41-s to 48-s.
Moffatt, W. G.—Dynamic Measurement of Stress Associated with Weld Cracking, 185-s to 192-s.
Möller, H.—The Effect of Defects on the Fatigue Strength of Submerged-Arc Welds, 113-s; 128-s.
Monroe, R. E.—Inert-Gas-Shielded Consumable-Electrode Welding of Molybdenum, 117-s to 124-s.
Corrosion of Zircaloy-2 Sheet Weldments, 468-s to 472-s.
Mundt, J.—Advances in Welding Austenitic Materials in the Construction of Chemical Apparatus and Tanks, 454-s.
Munse, W. H.—Fatigue Failures in Fatigue Machines, 54-s to 56-s.
Murphy, W. J.—Evaluation of the Kinzel Test from Its Fracture Characteristics, 107-s to 113-s.
Mylonas, C.—Static Brittle-Fracture Initiation at Net Stress 40% of Yield, 473-s to 479-s.

Nagler, H.—Welding of Galvanized Steels, 507-s to 514-s.
Necheles, R.—Joining to Zircaloy to Stainless Steel, 529-s to 534-s.
Nelson, E. C.—Continuous Cooling Transformation Characteristics of Three Types of Weld Metal, 30-s to 36-s.
A High-Speed Dilatometer Designed for Welding Research, 57-s to 61-s.
Prediction of Weld Heat-Affected Zone Microstructures from Continuous-Cooling Transformation Data, 289-s to 294-s.
Newmark, N. M.—Effect of Fabricated Edge Conditions on Brittle Fracture of Structural Steels, 137-s.
Niemann, J. T.—Diffusion Bonding Below 1000°F., 337-s to 342-s.
Nippes, E. F.—Continuous Cooling Transformation Characteristics of Three Types of Weld Metal, 30-s to 36-s.
Electrode-Tip Life Studies in Series Spot Welding, 241-s to 248-s.
Prediction of Weld Heat-Affected Zone Microstructures from Continuous-Cooling Transformation Data, 289-s to 294-s.
Residual Stresses in Welded Titanium Plates, 433-s to 439-s.
Nolen, R. K.—Spot Welding of Ti-6 Al-4V Alloy, 129-s to 137-s.

Orner, G. M.—Discussion, "Ductility and Energy Relations in Charpy Tests of Structural Steels," 156-s to 157-s.
Charpy Brittle-Fracture Transitions by the Lateral Expansion-Energy Relationship, 201-s to 205-s.
Owen, W. S.—The Influence of Ferrite Banding on the Impact Properties of Mild Steel, 368-s to 374-s

Patriarca, P.—Bonding of Cermet-Valve Components to Metals, 249-s to 254-s.
Pease, G. R.—The Control of Porosity in High-Nickel-Alloy Welds, 354-s to 360-s.
Peaslee, R. L.—Proposed Procedure for Testing Shear Strength of Brazed Joints, 144-s to 150-s.
Pellini, W. S.—Correlations of Brittle-Fracture Service Failures with Laboratory Notch-Ductility Tests, 391-s to 410-s.
Pfluger, A. R.—Chlorine Additions for High-Quality Inert-Gas Metal-Arc Welding of Aluminum Alloys, 269-s to 276-s.
Puzak, P. P.—Fabrication and Service Factors Involved in Failure of Welded Steam Receivers, 320-s to 325-s.
Correlations of Brittle-Fracture Service Failures with Laboratory Notch-Ductility Tests, 391-s to 410-s.

Reeve, L.—Weldability of Notch-Ductile Steels, 74-s to 80-s.
Reid, H. F., Jr.—Role of Phosphorus in Austenitic Manganese Weld Metal, 316-s to 319-s.
Richter, F.—Report of the Second Welding Delegation from East Germany on Their Tour in Russia, 519-s; 523-s; 526-s to 528-s.
Rieppel, P. J.—Development of Filler Wires for Welding SAE 4130, 4140 and 4340 Steels, 41-s to 48-s.
Diffusion Bonding Below 1000° F, 337-s to 342-s.
Rimrott, F. P. J.—Plastic Design of Thick-Walled Pressure Vessels, 570-s to 576-s.
Robelotto, S. M.—Electrode-Tip Life Studies in Series Spot Welding, 241-s to 248-s.
Robertson, C. A.—Energy Absorption Studies of Welds in Tempered Martensitic Base Metal, 97-s to 100-s.
Rudy, J. F.—Spot Welding of Ti-6Al-4V Alloy, 129-s to 137-s.

Sachs, H.—Factors Affecting the Ductility of Steel Weld Metal, 544-s.
Savage, W. F.—Electrode-Tip Life Studies in Series Spot Welding, 241-s to 248-s.
Residual Stresses in Welded Titanium Plates, 433-s to 439-s.
Schaaf, B. W.—A Study of Metallurgical Effects in the Multipass Welding of Zircaloy, 1-s to 9-s.
Schutz, F. W., Jr.—Behavior of Welded Corner Connections, 216-s to 232-s.
Schwartzbart, H.—Spot Welding of Ti-6Al-4V Alloy, 129-s to 137-s.
Metallurgy of Bonding in Brazed Joints—Part I—Base Metal-Filler Metal Interaction, Excluding Compound Formation, 493-s to 498-s.
Joining of Zircaloy to Stainless Steel, 529-s to 534-s.
Sekiguchi, H.—Low Crack Sensitivity of Steel Joint by CO_2-O_2 Arc Welding, 326-s to 336-s.
Sharma, M. G.—Material Rating Based Upon True Stress-Strain Properties, 375-s to 378-s.
Design of a Thin-Walled Cylindrical Pressure Vessel Considering Plasticity, 515-s to 519-s.
Sheely, M. F.—Postheat Treating Weldments with an Exothermic Material, 554-s to 557-s.
Slaughter, G. M.—Bonding of Cermet-Valve Components to Metals, 249-s to 254-s.
Soldan, C. H.—Welding Metallurgy of Cr-Mo-V Steels for High-Temperature Steam-Turbine Components, 295-s to 303-s.
Sopher, R. P.—Development of Filler Wires for Welding SAE 4130, 4140 and 4340 Steels, 41-s to 48-s.
Diffusion Bonding Below 1000°F, 337-s to 342-s.
Effects of Chemical Composition on Cracking Resistance of High-Strength-Steel Weld Metals, 481-s to 492-s.
Spinelli, Carmine—Effect of Pressure on the Diffusion of Zinc in Alpha Brass, 524-s to 526-s.
Spraragen, W.—Preheating—Residual Stresses—Stress Relieving, 21-s.
University Research Work, 480-s.
Stein, R.—Corrosion of Zircaloy-2 Sheet Weldments, 468-s to 472-s.
Stern, I. L.—Welding of Galvanized Steels, 507-s to 514-s.
Stout, R. D.—Evaluation of the Kinzel Test from Its Fracture Characteristics, 107-s to 113-s.
Ductility and Energy Relations in Charpy Tests of Structural Steels, 151-s to 155-s.
Effect of Heat Treatment on the Microstructure and Low-Temperature Properties of Pressure-Vessel Steels, 160-s to 168-s.
A Study of Factors Affecting the Strength and Ductility of Weld Metal, 193-s to 200-s.

Tour, Sam—Fatigue Strength of Silver-Alloy Brazed Joints in Steel, 37-s to 40-s.

Vagi, Julius J.—Development of Methods for End Capping PWR Fuel Elements, 499-s to 506-s.
Vanderbeck, R. W.—Improved Notch Toughness of Experimental Semikilled Steels Over One Inch in Thickness, 10-s to 20-s.
Controlled Low-Temperature Hot Rolling as Practiced in Europe, 114-s to 116-s.
Van Houten, G. R.—A Survey of the Bonding of Cermets to Metals, 558-s to 569-s.

Warner, W. L.—Effect of Preheating and Postheating on Toughness of Weld Metal, 27-s to 29-s.
Waters, E. O.—Reinforcement of Openings in Pressure Vessels, 277-s to 288-s.
Wayman, C. M.—A Study of Factors Affecting the Strength and Ductility of Weld Metal, 193-s to 200-s.
Weare, N. E.—Inert-Gas-Shielded Consumable-Electrode Welding of Molybdenum, 117-s to 124-s.
Weigert, Karl M.—"Discussion, Fatigue Strength of Silver-Alloy Brazed Joints in Steel," 40-s; Authors' closure, 40-s.
Weisswasser, P.—Report of the Second Welding Delegation from East Germany on Their Tour in Russia, 519-s; 523-s; 526-s to 528-s.
Westgren, R. C.—Evaluation of the Kinzel Test from Its Fracture Characteristics, 107-s to 113-s.
White, Sheldon S.—Combustion of Liquid Hydrocarbon Fuels for Oxygen Cutting, 101-s to 106-s.
Dynamic Measurement of Stress Associated with Weld Cracking, 185-s to 192-s.
Williams, Morgan L.—Correlation of Metallurgical Properties and Service Performance of Steel Plates from Fractured Ships, 445-s to 454-s.
Wylie, R. D.—Cooperative Investigation of a New Welding Electrode for Stainless Steel, 426-s to 432-s.
Wyman, W. L.—High-Vacuum Electron-Beam Fusion Welding, 49-s to 53-s.